

4Wave

With its original, innovative and highly functional design, the 4Wave collection stands out as an ergonomic solution to user wellbeing in the office. Every aspect has been studied to deliver a desk that optimises worktop, structure and leg cable management solutions and is capable of adjusting to any user's requirements.



"I am particularly fond of the 4Wave collection design concept, for it conveys a resolutely dynamic sense of purpose. It completely reinvents the traditional office desk leg design, as much in its aesthetics as in its functionality."

MARC JITIAUX Inventor *Designer of the 4Wave collection*



Shaping your professional image







Generous work surfaces, optimised with a **coordinated range of storage and meeting solutions.**



The 4Wave collection offers 3 different structural designs combined with 2 leg types. Modesty panels (metal or melamine) fitted to 'L' shaped legs facilitate effective horizontal cable management and ensure users' privacy at all times. Cable troughs can be mounted on the crossbeams spanning the space between 'I' shaped legs, and are ideally suited for use in face-to-face desk configurations.





A design that projects
ergonomic functionality
and aesthetic harmony, from
desktops to legs.







Shade card

7 choices of finish for tops



MG
Snow white



MA
White maple



MB
Light beech



RI
Light oak



MC
Salmon beech



RH
French Apple



RL
Amber walnut


3 choices of finish for legs and structures



SO
White




SA
Aluminium grey




SC
Graphite grey

The Range


Rectangular and arch-shaped desks





Wave desks




Asymmetrical compact desks



Symmetrical compact desks



Extension units



Standards



Technical specifications



1 High-density particle board, 25 mm thick, with a decorative melamine sheet on both sides of the top. Strip of ABS 2 mm thick fitted to edges..

2 Worktops feature cable ports, composed of a wave-like decorative yet functional support (W. 18 x D. 9 cm), an outer ring (ø 8 cm) incorporated in the worktop and 'eol' design snap-in cap (ø 6 cm).

3 Fixed 'I' and 'L' shaped legs composed of a square-section tubular vertical bracket topped by a fixing plate, 2 tubular elliptical feet and adjustable stabilizer feet matching the steel-aspect finish of the leg. Decorative outer leg housing cover with grooved panel design. Worktop height: 73.5 cm.

4 The leg housing incorporates a vertical folded sheet-steel panel that links the top fixing plates with the feet, providing 2 cable channels and additional vertical structural rigidity to the desk. As a result the leg structures serve an additional practical purpose of feeding and safely securing cables, whilst at the same time separating power from data cabling.

5 Adjustable 'I' shaped leg composed of 2 machine-welded elements and 2 telescopic housing panels. Identical cable management features to the fixed leg version. Worktop height: from 62 to 86 cm, adjustable at 20 mm intervals.


6 Fixed circular-section tubular steel structural leg functioning as linking point for modesty panels and steel crossbeams, as well as facilitating 90 or 120° angle desk configurations. Features a grooved housing panel held in place thanks to eyelet perforations and M6 screws.

7 Melamine modesty panel, 19 mm thick and H. 30 cm. Adapted to 'L' shaped leg structures. Features 2 cable holes so that cables can be fed through from the legs to the worktop.

8 Metal modesty panel, H. 30 cm. Adapted to 'L' shaped leg structures. Features 2 cable holes so that cables can be fed through from the legs to the worktop. Integrated cable management trough H. 11 cm x D. 5 cm, fitted with 2 tie-straps for securing of cables. The cable trough design facilitates concealment of trailing sockets and cables.

9 Tubular crossbeam, 80 to 180 cm in length, to be mounted on 'I' shaped legs. Tool-free assembly by slotting the extremities in to respective housings that are welded to the leg brackets.

Cable trough designed to be fitted to the crossbeam, fitted with 2 tie-straps for securing and channelling of cables.



■ Rectangular desks D. 80 cm

Fixed legs

'I' shaped legs - Beam

W. 80 cm	1 150 026 + top + leg	306
W. 120 cm	1 150 027 + top + leg	315
W. 140 cm	1 150 028 + top + leg	323
W. 160 cm	1 150 029 + top + leg	332
W. 180 cm	1 150 030 + top + leg	340

'I' shaped legs - Beam + cable trough

W. 120 cm	1 150 036 + top + leg	332
W. 140 cm	1 150 037 + top + leg	340
W. 160 cm	1 150 038 + top + leg	349
W. 180 cm	1 150 039 + top + leg	357

'L' shaped legs - Melamine modesty panel

W. 80 cm	1 150 044 + top + leg	315
W. 120 cm	1 150 045 + top + leg	323
W. 140 cm	1 150 046 + top + leg	332
W. 160 cm	1 150 047 + top + leg	340
W. 180 cm	1 150 048 + top + leg	349

'L' shaped legs - Metal modesty panel

W. 80 cm	1 150 049 + top + leg	323
W. 120 cm	1 150 050 + top + leg	332
W. 140 cm	1 150 051 + top + leg	340
W. 160 cm	1 150 052 + top + leg	349
W. 180 cm	1 150 053 + top + leg	357



Adjustable legs

1 150 031 + top + leg	357
1 150 032 + top + leg	366
1 150 033 + top + leg	374
1 150 034 + top + leg	383
1 150 035 + top + leg	391

1 150 040 + top + leg	383
1 150 041 + top + leg	391
1 150 042 + top + leg	400
1 150 043 + top + leg	408

■ Rectangular desks D. 60 cm

Fixed legs

'I' shaped legs - Beam

W. 80 cm	1 150 054 + top + leg	302
W. 120 cm	1 150 055 + top + leg	310

'I' shaped legs - Beam + cable trough

W. 120 cm	1 150 058 + top + leg	327
-----------	-----------------------	------------

Adjustable legs

1 150 056 + top + leg	353
1 150 057 + top + leg	361

1 150 059 + top + leg	378
-----------------------	------------



■ 90° link unit

W. 80 x D 80 cm	1 150 060 + top	149
-----------------	-----------------	------------

Fixed legs

Tubular support leg	1 150 061 + leg	21
---------------------	-----------------	-----------

Adjustable legs

1 150 062 + leg	47
-----------------	-----------



■ Meeting extension unit

Fixed legs


Extension table Circular ø 100 cm	1 150 063 + top + leg	187
3/4 circular ø 120 cm	1 150 064 + top + leg	230

Adjustable legs


1 150 065 + top + leg	213
1 150 066 + top + leg	255



7 choices of finish for tops (+ top)



3 choices of finish for structure (+ leg)



■ Arch-shaped desks



	Fixed legs		Adjustable legs	
'I' shaped legs - Beam	1 150 067 + top + leg	374	1 150 071 + top + leg	510
'I' shaped legs - Beam + cable trough	1 150 068 + top + leg	391	1 150 072 + top + leg	442
'L' shaped legs - Melamine modesty panel	1 150 069 + top + leg	383		
'L' shaped legs - Metal modesty panel	1 150 070 + top + leg	391		

■ Asymmetrical wave desks D. 80/100 cm



	Fixed legs		Adjustable legs	
'I' shaped legs - Beam				
W. 140 cm - left-hand return	1 150 073 + top + leg	391	1 150 077 + top + leg	442
W. 140 cm - right-hand return	1 150 074 + top + leg	391	1 150 078 + top + leg	442
W. 160 cm - left-hand return	1 150 075 + top + leg	400	1 150 079 + top + leg	451
W. 160 cm - right-hand return	1 150 076 + top + leg	400	1 150 080 + top + leg	451
'I' shaped legs - Beam + cable trough				
W. 140 cm - left-hand return	1 150 081 + top + leg	408	1 150 085 + top + leg	459
W. 140 cm - right-hand return	1 150 082 + top + leg	408	1 150 086 + top + leg	459
W. 160 cm - left-hand return	1 150 083 + top + leg	417	1 150 087 + top + leg	468
W. 160 cm - right-hand return	1 150 084 + top + leg	417	1 150 088 + top + leg	468
'L' shaped legs - Melamine modesty panel				
W. 140 cm - left-hand return	1 150 089 + top + leg	400		
W. 140 cm - right-hand return	1 150 090 + top + leg	400		
W. 160 cm - left-hand return	1 150 091 + top + leg	408		
W. 160 cm - right-hand return	1 150 092 + top + leg	408		
'L' shaped legs - Metal modesty panel				
W. 140 cm - left-hand return	1 150 093 + top + leg	408		
W. 140 cm - right-hand return	1 150 094 + top + leg	408		
W. 160 cm - left-hand return	1 150 095 + top + leg	417		
W. 160 cm - right-hand return	1 150 096 + top + leg	417		

■ Symmetrical wave desks D. 100 cm



	Fixed legs		Adjustable legs	
'I' shaped legs - Beam				
W. 160 cm	1 150 097 + top + leg	400	1 150 099 + top + leg	451
W. 180 cm	1 150 098 + top + leg	408	1 150 100 + top + leg	459
'I' shaped legs - Beam + cable trough				
W. 160 cm	1 150 101 + top + leg	417	1 150 103 + top + leg	468
W. 180 cm	1 150 102 + top + leg	425	1 150 104 + top + leg	476
'L' shaped legs - Melamine modesty panel				
W. 160 cm	1 150 105 + top + leg	408		
W. 180 cm	1 150 106 + top + leg	417		
'L' shaped legs - Metal modesty panel				
W. 160 cm	1 150 107 + top + leg	417		
W. 180 cm	1 150 108 + top + leg	425		

■ Fixed wave return



	Fixed legs		Adjustable legs	
'I' shaped legs - 4 Wave				
left-hand return	1 150 109 + top + leg	289	1 150 111 + top + leg	315
right-hand return	1 150 110 + top + leg	289	1 150 112 + top + leg	315
On tubular legs Ø 60 mm	1 150 113 + top + leg	179	1 150 114 + top + leg	204

■ 90° asymmetrical compact desks



	Fixed legs		Adjustable legs	
'I' shaped legs - Beam				
W. 160 x Rt 60 cm - left-hand return	1 150 115 + top + leg	383	1 150 121 + top + leg	434
W. 160 x Rt 60 cm - right-hand return	1 150 116 + top + leg	383	1 150 122 + top + leg	434
W. 180 x Rt 60 cm - left-hand return	1 150 117 + top + leg	391	1 150 123 + top + leg	442
W. 180 x Rt 60 cm - right-hand return	1 150 118 + top + leg	391	1 150 124 + top + leg	442
W. 180 x Rt 80 cm - left-hand return	1 150 119 + top + leg	400	1 150 125 + top + leg	451
W. 180 x Rt 80 cm - right-hand return	1 150 120 + top + leg	400	1 150 126 + top + leg	451
'I' shaped legs - Beam + cable trough				
W. 160 x Rt 60 cm - left-hand return	1 150 127 + top + leg	400	1 150 133 + top + leg	451
W. 160 x Rt 60 cm - right-hand return	1 150 128 + top + leg	400	1 150 134 + top + leg	451
W. 180 x Rt 60 cm - left-hand return	1 150 129 + top + leg	408	1 150 135 + top + leg	459
W. 180 x Rt 60 cm - right-hand return	1 150 130 + top + leg	408	1 150 136 + top + leg	459
W. 180 x Rt 80 cm - left-hand return	1 150 131 + top + leg	417	1 150 137 + top + leg	468
W. 180 x Rt 80 cm - right-hand return	1 150 132 + top + leg	417	1 150 138 + top + leg	468
'L' shaped legs - Melamine modesty panel				
W. 160 x Rt 60 cm - left-hand return	1 150 139 + top + leg	391		
W. 160 x Rt 60 cm - right-hand return	1 150 140 + top + leg	391		
W. 180 x Rt 60 cm - left-hand return	1 150 141 + top + leg	400		
W. 180 x Rt 60 cm - right-hand return	1 150 142 + top + leg	400		
W. 180 x Rt 80 cm - left-hand return	1 150 143 + top + leg	408		
W. 180 x Rt 80 cm - right-hand return	1 150 144 + top + leg	408		
'L' shaped legs - Metal modesty panel				
W. 160 x Rt 60 cm - left-hand return	1 150 145 + top + leg	400		
W. 160 x Rt 60 cm - right-hand return	1 150 146 + top + leg	400		
W. 180 x Rt 60 cm - left-hand return	1 150 147 + top + leg	408		
W. 180 x Rt 60 cm - right-hand return	1 150 148 + top + leg	408		
W. 180 x Rt 80 cm - left-hand return	1 150 149 + top + leg	417		
W. 180 x Rt 80 cm - right-hand return	1 150 150 + top + leg	417		

OPTIONAL EXTRA Tubular support leg

To be fitted to compact desk return. Not compatible with supporting metal pedestal.

Tubular section legs ø 60 mm	1 150 061 + leg	21	1 150 062 + leg	47
------------------------------	-----------------	-----------	-----------------	-----------


■ Standard fixed returns

For standard straight desks W. 140, 160 and 180 cm and for compact returns 60 cm.




	Fixed legs		Adjustable legs	
'I' shaped legs - 4 Wave				
W. 80 cm - left-hand return	1 150 151 + top + leg	264	1 150 155 + top + leg	289
W. 80 cm - right-hand return	1 150 152 + top + leg	264	1 150 156 + top + leg	289
W. 120 cm - left-hand return	1 150 153 + top + leg	272	1 150 157 + top + leg	298
W. 120 cm - right-hand return	1 150 154 + top + leg	272	1 150 158 + top + leg	298
Tubular section legs ø 60 mm				
W. 80 cm	1 150 159 + top + leg	153	1 150 161 + top + leg	179
W. 120 cm	1 150 160 + top + leg	162	1 150 162 + top + leg	187
On supporting metal pedestal W. 42 cm				
W. 80 cm	1 150 163 + top + leg	434		
W. 120 cm	1 150 164 + top + leg	442		

7 choices of finish for tops (+ top)



3 choices of finish for structure (+ leg)



■ Curved 90° asymmetrical compact desks W. 180 cm

Tubular support leg fitted to the return 60 cm.



	Fixed legs		Adjustable legs	
'I' shaped legs - Beam				
left-hand return	1 150 165 + top + leg	468	1 150 167 + top + leg	519
right-hand return	1 150 166 + top + leg	468	1 150 168 + top + leg	519
'I' shaped legs - Beam + cable trough				
left-hand return	1 150 169 + top + leg	485	1 150 171 + top + leg	536
right-hand return	1 150 170 + top + leg	485	1 150 172 + top + leg	536
'L' shaped legs - Melamine modesty panel				
left-hand return	1 150 173 + top + leg	476		
right-hand return	1 150 174 + top + leg	476		
'L' shaped legs - Metal modesty panel				
left-hand return	1 150 175 + top + leg	485		
right-hand return	1 150 176 + top + leg	485		

■ 90° symmetrical compact desks – symmetrical structure



	Fixed legs		Adjustable legs	
'I' shaped legs - Beam				
W. 140 x W. 140 x Rf 80 cm	1 150 177 + top + leg	544	1 150 179 + top + leg	595
W. 160 x W. 160 x Rf 80 cm	1 150 178 + top + leg	553	1 150 180 + top + leg	604
'I' shaped legs - Beam + cable trough				
W. 140 x W. 140 x Rf 80 cm	1 150 181 + top + leg	660	1 150 183 + top + leg	612
W. 160 x W. 160 x Rf 80 cm	1 150 182 + top + leg	670	1 150 184 + top + leg	621
'L' shaped legs - Metal modesty panel				
W. 140 x W. 140 x Rf 80 cm	1 150 185 + top + leg	561		
W. 160 x W. 160 x Rf 80 cm	1 150 186 + top + leg	570		

■ 120° symmetrical compact desks – symmetrical structure



	Fixed legs	
'L' shaped legs - Metal modesty panel		
W. 120 x W. 120 x Rf. 80 cm	1 150 187 + top + leg	570

■ Half-moon tables



	Fixed legs		Adjustable legs	
W. 80 x D. 40 cm	1 150 188 + top + leg	136	1 150 191 + top + leg	162
W. 165 x D. 60 cm	1 150 189 + top + leg	247	1 150 192 + top + leg	272
W. 165 x D. 82.50 cm	1 150 190 + top + leg	255	1 150 193 + top + leg	281

Metal pedestals p. 130.



Easy reach storage p. 156.



Ergonomic chairs p. 312.

