

New Duplex

New Duplex is a cost-effective and highly functional range of desks procuring a wide array of solutions for the modern workspace. Traditional spaces are effortlessly optimised with multiple layout and configuration possibilities. A classical and universal styling that will respond effectively to every user's expectations.



"New Duplex is a practical range of office furniture, ideal for achieving conservative and robust workspaces."

PATRICE PLUMAIN Quality Coordinator




Fully operational



Aesthetically coordinated extension **units** and **complementary furniture.**









Workstations are all fitted with cable ports, facilitating efficient cable management. Height-adjustable legs allow the desks to adapt to the unique morphology of individual users.





Shade card

7 choices of finish for tops



MG
Snow white



MA
White maple



MB
Light beech



RI
Light oak



MC
Salmon beech



RH
French Apple



RL
Amber walnut

3 choices of finish for legs and structures



SO
White




SA
Aluminium grey




SC
Graphite grey

The Range


Rectangular and arch-shaped desks




Wave desks




Asymmetrical compact desks



Symmetrical compact desks



Extension units



Standards

Guarantee
5
years

Made in
the E.U.



Technical specifications



1 25 mm thick counterbalanced high-density particle board, covered in melamine, with 2 mm thick ABS edge banding.

2 2 ABS cable port in an aluminium grey finish, Ø 80 mm.

3 Metal 'L' shape legs with epoxy lacquer coating. Optional addition of clip-on housing panels of curved design. ABS end caps matching the leg finish.

4 Fixed leg version composed of a pressed sheet metal top plate, rectangular uprights in folded sheet metal with removable housing panels, oblong shaped tubular-section metal base fitted with adjustable stabilizer feet. Cables are channelled within the leg structure behind the removable panels, and exit through openings in the upper and lower extremities. Worktop height: 73.5 cm.

5 Height-adjustable legs feature 2 telescopic folded sheet metal housing panels.

6 Height-adjustable version composed of a pressed sheet metal top plate, rectangular uprights in folded sheet metal and formed by 2 rectangular metal columns (upper and lower) with removable metal housing panels, oblong shaped tubular-section metal base fitted with adjustable stabilizer feet. Cables are channelled within the leg structure behind the removable panels, and exit through openings in the upper and lower extremities. Worktop height: adjusts at 2 cm intervals from 62 to 86 cm.

7 Open-sided 'L' shaped beam made from folded 1.2 mm sheet metal. Designed to store and channel trailing sockets and cables, features a 75 mm deep gully and 4 openings of 45 mm each. Available in an aluminium grey or graphite grey epoxy powder finish.

8 Melamine counterbalanced modesty panel, 19 mm thick in finish matching the worktops. Height 30 cm. Matching strip of 2 mm thick ABS edge banding. Features 2 cable ports so that cables can be fed through from the legs to the worktop.

9 Optional metal cable trough designed to be fitted to the modesty panel on the user side (not available for configurations with supporting pedestal). Height 8 cm, depth 7 cm and comes in an aluminium grey finish.



■ Rectangular desks D. 80 cm



	Fixed legs	Adjustable legs
Beam		
W. 80 cm	2 029 021 + top + leg + col. 238	2 029 026 + top + leg + col. 289
W. 120 cm	2 029 022 + top + leg + col. 247	2 029 027 + top + leg + col. 298
W. 140 cm	2 029 023 + top + leg + col. 255	2 029 028 + top + leg + col. 306
W. 160 cm	2 029 024 + top + leg + col. 264	2 029 029 + top + leg + col. 315
W. 180 cm	2 029 025 + top + leg + col. 272	2 029 030 + top + leg + col. 323
Melamine modesty panel		
W. 80 cm	2 029 031 + top + leg + col. 238	2 029 036 + top + leg + col. 289
W. 120 cm	2 029 032 + top + leg + col. 247	2 029 037 + top + leg + col. 298
W. 140 cm	2 029 033 + top + leg + col. 255	2 029 038 + top + leg + col. 306
W. 160 cm	2 029 034 + top + leg + col. 264	2 029 039 + top + leg + col. 315
W. 180 cm	2 029 035 + top + leg + col. 272	2 029 040 + top + leg + col. 323
Metal modesty panel		
W. 80 cm	2 029 041 + top + leg + col. 238	2 029 046 + top + leg + col. 289
W. 120 cm	2 029 042 + top + leg + col. 247	2 029 047 + top + leg + col. 298
W. 140 cm	2 029 043 + top + leg + col. 255	2 029 048 + top + leg + col. 306
W. 160 cm	2 029 044 + top + leg + col. 264	2 029 049 + top + leg + col. 315
W. 180 cm	2 029 045 + top + leg + col. 272	2 029 050 + top + leg + col. 323

■ Rectangular desks D. 80 cm with supporting pedestal



Fixed leg	Pedestal on left side	Pedestal on right side
W. 140 cm	2 029 051 + top + leg + col. 570	2 029 054 + top + leg + col. 570
W. 160 cm	2 029 052 + top + leg + col. 578	2 029 055 + top + leg + col. 578
W. 180 cm	2 029 053 + top + leg + col. 587	2 029 056 + top + leg + col. 587

■ 90° link unit



W. 80 x D. 80 cm	2 029 008 + top	149
Fixed leg		
Tubular support leg	2 029 009 + leg	21
	Adjustable leg	
	2 029 010 + leg	47

■ Rectangular desks D. 60 cm



	Fixed legs	Adjustable legs
Beam		
W. 80 cm	2 029 057 + top + leg + col. 234	2 029 059 + top + leg + col. 285
W. 120 cm	2 029 058 + top + leg + col. 242	2 029 060 + top + leg + col. 293
Melamine modesty panel		
W. 80 cm	2 029 061 + top + leg + col. 234	2 029 063 + top + leg + col. 285
W. 120 cm	2 029 062 + top + leg + col. 242	2 029 064 + top + leg + col. 293
Metal modesty panel		
W. 80 cm	2 029 065 + top + leg + col. 234	2 029 067 + top + leg + col. 285
W. 120 cm	2 029 066 + top + leg + col. 242	2 029 068 + top + leg + col. 293

■ Arch-shaped desks



	Fixed legs	Adjustable legs
Beam	2 029 083 + top + leg + col. 306	2 029 086 + top + leg + col. 357
Melamine modesty panel	2 029 084 + top + leg + col. 306	2 029 087 + top + leg + col. 357
Metal modesty panel	2 029 085 + top + leg + col. 306	2 029 088 + top + leg + col. 357

7 choices of finish for tops (+ top)



3 choices of finish for legs (+ leg) and decorative leg panels (+ col)



■ Asymmetrical wave desks D. 80/100 cm



	Fixed legs	Adjustable legs
Beam		
W. 140 cm - left-hand return	2 029 089 + top + leg + col. 340	2 029 095 + top + leg + col. 391
W. 140 cm - right-hand return	2 029 090 + top + leg + col. 340	2 029 096 + top + leg + col. 391
W. 160 cm - left-hand return	2 029 101 + top + leg + col. 349	2 029 107 + top + leg + col. 400
W. 160 cm - right-hand return	2 029 102 + top + leg + col. 349	2 029 108 + top + leg + col. 400
Melamine modesty panel		
W. 140 cm - left-hand return	2 029 091 + top + leg + col. 340	2 029 097 + top + leg + col. 391
W. 140 cm - right-hand return	2 029 092 + top + leg + col. 340	2 029 098 + top + leg + col. 391
W. 160 cm - left-hand return	2 029 103 + top + leg + col. 349	2 029 109 + top + leg + col. 400
W. 160 cm - right-hand return	2 029 104 + top + leg + col. 349	2 029 110 + top + leg + col. 400
Metal modesty panel		
W. 140 cm - left-hand return	2 029 093 + top + leg + col. 340	2 029 099 + top + leg + col. 391
W. 140 cm - right-hand return	2 029 094 + top + leg + col. 340	2 029 100 + top + leg + col. 391
W. 160 cm - left-hand return	2 029 105 + top + leg + col. 349	2 029 111 + top + leg + col. 400
W. 160 cm - right-hand return	2 029 106 + top + leg + col. 349	2 029 112 + top + leg + col. 400

■ Symmetrical wave desks D. 100 cm



	Fixed legs	Adjustable legs
Beam		
W. 160 cm	2 029 113 + top + leg + col. 349	2 029 116 + top + leg + col. 400
W. 180 cm	2 029 119 + top + leg + col. 357	2 029 122 + top + leg + col. 408
Melamine modesty panel		
W. 160 cm	2 029 114 + top + leg + col. 349	2 029 117 + top + leg + col. 400
W. 180 cm	2 029 120 + top + leg + col. 357	2 029 123 + top + leg + col. 408
Metal modesty panel		
W. 160 cm	2 029 115 + top + leg + col. 349	2 029 118 + top + leg + col. 400
W. 180 cm	2 029 121 + top + leg + col. 357	2 029 124 + top + leg + col. 408

■ Fixed wave return



	Fixed leg(s)	Adjustable leg(s)
On New Duplex design leg		
Left-hand return	2 029 125 + top + leg + col. 230	2 029 127 + top + leg + col. 255
Right-hand return	2 029 126 + top + leg + col. 230	2 029 128 + top + leg + col. 255
On tubular legs Ø 60 mm	2 029 129 + top + leg 179	2 029 130 + top + leg 204

■ Cable troughs for metal modesty panels



For rectangular desks W. 120 and W. 140 cm or 90° symmetrical compact desks

W. 100 cm 6 478 016 SB **19**

For rectangular or wave desks W. 160 and W. 180 cm or 90° symmetrical compact desks

W. 142.5 cm 6 478 017 SB **22**

For 120° symmetrical compact desks

W. 90 cm 2 028 464 SB **18**



Melamine pedestals p. 132.



2nd level rails and accessories p. 141.



Individual meeting tables p. 198.

■ 90° asymmetrical compact desks D. 120 cm



	Fixed legs	Adjustable legs
Beam		
W. 160 x Rt 60 cm - left-hand return	2 029 131 + top + leg + col. 332	2 029 133 + top + leg + col. 383
W. 160 x Rt 60 cm - right-hand return	2 029 132 + top + leg + col. 332	2 029 134 + top + leg + col. 383
W. 180 x Rt 60 cm - left-hand return	2 029 143 + top + leg + col. 340	2 029 145 + top + leg + col. 391
W. 180 x Rt 60 cm - right-hand return	2 029 144 + top + leg + col. 340	2 029 146 + top + leg + col. 391
W. 180 x Rt 80 cm - left-hand return	2 029 155 + top + leg + col. 349	2 029 157 + top + leg + col. 400
W. 180 x Rt 80 cm - right-hand return	2 029 156 + top + leg + col. 349	2 029 158 + top + leg + col. 400
Melamine modesty panel		
W. 160 x Rt 60 cm - left-hand return	2 029 135 + top + leg + col. 332	2 029 137 + top + leg + col. 383
W. 160 x Rt 60 cm - right-hand return	2 029 136 + top + leg + col. 332	2 029 138 + top + leg + col. 383
W. 180 x Rt 60 cm - left-hand return	2 029 147 + top + leg + col. 340	2 029 149 + top + leg + col. 391
W. 180 x Rt 60 cm - right-hand return	2 029 148 + top + leg + col. 340	2 029 150 + top + leg + col. 391
W. 180 x Rt 80 cm - left-hand return	2 029 159 + top + leg + col. 349	2 029 161 + top + leg + col. 400
W. 180 x Rt 80 cm - right-hand return	2 029 160 + top + leg + col. 349	2 029 162 + top + leg + col. 400
Metal modesty panel		
W. 160 x Rt 60 cm - left-hand return	2 029 139 + top + leg + col. 332	2 029 141 + top + leg + col. 383
W. 160 x Rt 60 cm - right-hand return	2 029 140 + top + leg + col. 332	2 029 142 + top + leg + col. 383
W. 180 x Rt 60 cm - left-hand return	2 029 151 + top + leg + col. 340	2 029 153 + top + leg + col. 391
W. 180 x Rt 60 cm - right-hand return	2 029 152 + top + leg + col. 340	2 029 154 + top + leg + col. 391
W. 180 x Rt 80 cm - left-hand return	2 029 163 + top + leg + col. 349	2 029 165 + top + leg + col. 400
W. 180 x Rt 80 cm - right-hand return	2 029 164 + top + leg + col. 349	2 029 166 + top + leg + col. 400

OPTIONAL EXTRA
Tubular support leg

To be fitted to compact office desk return. Not compatible with supporting metal pedestal.

Tubular section legs ø 60 mm 2 029 009 + leg

21

2 029 010 + leg

47

■ 90° asymmetrical compact desks with supporting pedestal D. 120 cm


OPTIONAL EXTRA
Fixed leg

W. 160 x Rt 60 cm	2 029 167 + top + leg + col. 655
W. 180 x Rt 60 cm	2 029 168 + top + leg + col. 663
W. 180 x Rt 80 cm	2 029 169 + top + leg + col. 672

Pedestal on left side

2 029 167 + top + leg + col. 655
2 029 168 + top + leg + col. 663
2 029 169 + top + leg + col. 672

Pedestal on right side

2 029 170 + top + leg + col. 655
2 029 171 + top + leg + col. 663
2 029 172 + top + leg + col. 672

Tubular support leg

Tubular section legs ø 60 mm 2 029 009 + leg

21

■ Curved 90° compact desks - W. 180 cm

Tubular support leg fitted to the return 60 cm.


Beam

Left-hand return	2 029 173 + top + leg + col. 408
Right-hand return	2 029 174 + top + leg + col. 408

Adjustable legs

2 029 175 + top + leg + col. 459
2 029 176 + top + leg + col. 459

Melamine modesty panel

Left-hand return	2 029 177 + top + leg + col. 408
Right-hand return	2 029 178 + top + leg + col. 408

2 029 179 + top + leg + col. 459
2 029 180 + top + leg + col. 459

Metal modesty panel

Left-hand return	2 029 181 + top + leg + col. 408
Right-hand return	2 029 182 + top + leg + col. 408

2 029 183 + top + leg + col. 459
2 029 184 + top + leg + col. 459

7 choices of finish for tops (+ top)

3 choices of finish for legs (+ leg) and decorative leg panels (+ col)


■ Standard fixed returns

For standard straight desks W. 140, 160 and 180 cm and for compact returns 60 cm.



	Fixed leg(s)		Adjustable leg(s)	
On New Duplex design leg				
W. 80 cm - left-hand return	2 029 069 + top + leg + col.	204	2 029 073 + top + leg + col.	230
W. 80 cm - right-hand return	2 029 071 + top + leg + col.	204	2 029 075 + top + leg + col.	230
W. 120 cm - left-hand return	2 029 070 + top + leg + col.	213	2 029 074 + top + leg + col.	238
W. 120 cm - right-hand return	2 029 072 + top + leg + col.	213	2 029 076 + top + leg + col.	238
Tubular section legs ø 60 mm				
W. 80 cm	2 029 077 + top + leg	153	2 029 079 + top + leg	179
W. 120 cm	2 029 078 + top + leg	162	2 029 080 + top + leg	187
On metal structural pedestal W. 42 cm				
W. 80 cm	2 029 081 + top + leg	434		
W. 120 cm	2 029 082 + top + leg	442		

■ 90° symmetrical compact desks - asymmetrical structure



	Fixed legs		Adjustable legs	
Beam				
W. 140 x Rt 80 cm - left-hand return	2 029 185 + top + leg + col.	459	2 029 188 + top + leg + col.	510
W. 140 x Rt 80 cm - right-hand return	2 029 197 + top + leg + col.	459	2 029 200 + top + leg + col.	510
W. 160 x Rt 80 cm - left-hand return	2 029 191 + top + leg + col.	468	2 029 194 + top + leg + col.	519
W. 160 x Rt 80 cm - right-hand return	2 029 203 + top + leg + col.	468	2 029 206 + top + leg + col.	519
Melamine modesty panel				
W. 140 x Rt 80 cm - left-hand return	2 029 186 + top + leg + col.	459	2 029 189 + top + leg + col.	510
W. 140 x Rt 80 cm - right-hand return	2 029 198 + top + leg + col.	459	2 029 201 + top + leg + col.	510
W. 160 x Rt 80 cm - left-hand return	2 029 192 + top + leg + col.	468	2 029 195 + top + leg + col.	519
W. 160 x Rt 80 cm - right-hand return	2 029 204 + top + leg + col.	468	2 029 207 + top + leg + col.	519
Metal modesty panel				
W. 140 x Rt 80 cm - left-hand return	2 029 187 + top + leg + col.	459	2 029 190 + top + leg + col.	510
W. 140 x Rt 80 cm - right-hand return	2 029 199 + top + leg + col.	459	2 029 202 + top + leg + col.	510
W. 160 x Rt 80 cm - left-hand return	2 029 193 + top + leg + col.	468	2 029 196 + top + leg + col.	519
W. 160 x Rt 80 cm - right-hand return	2 029 205 + top + leg + col.	468	2 029 208 + top + leg + col.	519

■ 90° and 120° symmetrical compact desks – symmetrical structure



	Fixed legs	
90° compact desks		
Metal modesty panel		
W. 140 x W. 140 x Rt 80 cm	2 029 209 + top + leg + col.	502
W. 160 x W. 160 x Rt 80 cm	2 029 210 + top + leg + col.	510
120° compact desks		
Metal modesty panel		
W. 120 x W. 120 x Rt 80 cm	2 029 211 + top + leg + col.	510



■ Meeting extension unit

Extension tables	Fixed leg(s)		Adjustable leg(s)	
Circular ø 100 cm	2 029 011 + top + leg	187	2 029 012 + top + leg	213
3/4 circular ø 120 cm	2 029 013 + top + leg	230	2 029 014 + top + leg	255



■ Half-moon tables

	Fixed leg(s)		Adjustable leg(s)	
W. 80 x D. 40 cm	2 029 015 + top + leg	136	2 029 016 + top + leg	162
W. 165 x D. 60 cm	2 029 017 + top + leg	247	2 029 018 + top + leg	272
W. 165 x D. 82.50 cm	2 029 019 + top + leg	255	2 029 020 + top + leg	281