

# Pure Evolution

With its sleek column-like leg designs, the Pure Evolution range offers itself as an elegant and expertly crafted choice of office furniture.

Pure Evolution is a range infused with the spirit of innovation: desks are designed for assembly by just one person and without specialised tools. This is made possible thanks to the lightweight self-supporting legs, practical slot-in crossbeam and the use of thumb screws to secure the uprights to the worktops.



"A singular technologically advanced yet simple range, Pure Evolution is a definitive expression of modern workstation design."

**ROMAIN BOURBOULON** Marketing Director



**Creating** an ideal environment



Pure Evolution is a range of office systems offering maximum adaptability. Fixed and height-adjustable cylindrical legs are available in 'I' and 'L' shaped dispositions. A branched base structure provides a further practical configuration solution for meetings.





## Shade card

7 choices of finish for tops



**MG**  
Snow white



**MA**  
White maple



**MB**  
Light beech



**RI**  
Light oak



**MC**  
Salmon beech



**RH**  
French Apple



**RL**  
Amber walnut

2 choices of finish for legs and structures from stock




**SO**  
White




**SA**  
Aluminium grey

## The Range


Rectangular and arch-shaped desks




Asymmetrical compact desks





Extension units



Wave desks



Symmetrical compact desks



# Standards

Guarantee  
**5**  
years

Manufactured to  
**ISO**  
14001

Made in  
the E.U.  
in our facilities



AMEUBLEMENT

## Technical specifications



**1**



**3**



**4**



**5**

**1** 25 mm thick high-density particle board, covered with a sheet of decorative melamine on both sides of the top. Edges protected by a 2 mm thick strip of ABS matching the top.

**2** Worktops feature cable ports, composed of an outer ring ( $\varnothing$  8cm) incorporated in the worktop and 'eol' design snap-in cap ( $\varnothing$  6 cm).

**3** Fixed 'I' shaped legs composed of a metal tubular bar at the top designed to receive knurled knobs (for easy tool-free securing to the worktop), a circular-section tubular metal bracket  $\varnothing$  70 mm to which are welded sheet metal feet fitted with adjustable stabilizers. Worktop height: 73.5 cm.

**4** Fixed 'L' shaped legs, with identical design to the 'I' shaped legs. Worktop height: 73.5 cm.

**5** Optional vertical cable management column for fixed legs, in sheet metal 10/10 mm thick. Fixed with hooks to the inside of the legs. Cables can be fed through both upper and lower extremities. A version that attaches to the worktops is also available for adjustable leg models.

**6** Tubular-section crossbeam (50 x 30 mm) ranging from 80 to 180 cm in length, designed for mounting on legs. Tool-free assembly by slotting the extremities into respective housings welded to the leg brackets.

**7** Height-adjustable 'I' shaped leg composed of a metal tubular bar at the top, a telescopic circular-section tubular metal bracket (male/female  $\varnothing$  60/70 mm) that slides within an injection moulded ABS ring. Legs are locked into position at desired height by means of 2 M6 screws. Worktop height: from 62 to 86 cm.

**8** Height-adjustable 'L' shaped legs, with identical design to the 'I' shaped adjustable legs. Worktop height: from 62 to 86 cm.

**9** Cable trough designed to be fitted to the crossbeam, with the purpose of concealing electrical trailing sockets and cables. Made from 10/10 mm sheet metal, height 10 cm and ranging in length from 90 to 130 cm.



**6**



**7**



**8**



**9**

## ■ Rectangular desks D. 80 cm



	Fixed leg(s)		Adjustable leg(s)
<b>'L' shaped legs</b>			
W. 80 cm	1 481 662 + top + leg	<b>281</b>	1 481 667 + top + leg
W. 120 cm	1 481 663 + top + leg	<b>289</b>	1 481 668 + top + leg
W. 140 cm	1 481 664 + top + leg	<b>298</b>	1 481 669 + top + leg
W. 160 cm	1 481 665 + top + leg	<b>306</b>	1 481 670 + top + leg
W. 180 cm	1 481 666 + top + leg	<b>315</b>	1 481 671 + top + leg
<b>'I' shaped legs</b>			
W. 80 cm	1 481 672 + top + leg	<b>281</b>	1 481 677 + top + leg
W. 120 cm	1 481 673 + top + leg	<b>289</b>	1 481 678 + top + leg
W. 140 cm	1 481 674 + top + leg	<b>298</b>	1 481 679 + top + leg
W. 160 cm	1 481 675 + top + leg	<b>306</b>	1 481 680 + top + leg
W. 180 cm	1 481 676 + top + leg	<b>315</b>	1 481 681 + top + leg

## ■ 90° link unit



W. 80 x D 80 cm	1 481 846 + top	<b>149</b>	
<b>Fixed leg</b>			<b>Adjustable leg</b>
Tubular support leg	1 481 874 + leg	<b>21</b>	1 481 875 + leg

## ■ Meeting extension unit



	Fixed leg(s)		Adjustable leg(s)
<b>Extension table</b>			
Circular ø 100 cm	1 481 847 + top + leg	<b>194</b>	1 481 848 + top + leg
3/4 circular ø 120 cm	1 481 851 + top + leg	<b>239</b>	1 481 852 + top + leg

## ■ Rectangular desks D. 60 cm



	Fixed leg(s)		Adjustable leg(s)
<b>'I' shaped legs</b>			
W. 80 cm	1 481 876 + top + leg	<b>276</b>	1 481 878 + top + leg
W. 120 cm	1 481 877 + top + leg	<b>285</b>	1 481 879 + top + leg

## ■ Arch-shaped desks



	Fixed leg(s)		Adjustable leg(s)
<b>'L' shaped legs</b>	1 481 706 + top + leg	<b>349</b>	1 481 710 + top + leg
<b>'I' shaped legs</b>	1 481 707 + top + leg	<b>349</b>	1 481 711 + top + leg

## ■ Optional metal modesty panels

H. 28 cm. Attaches to the worktop.




For desks W. 80 cm et angle 90°	1 481 205 + leg	<b>44</b>
For desks W. 120 cm	1 481 200 + leg	<b>53</b>
For desks W. 140 cm	1 481 201 + leg	<b>57</b>
For desks W. 160 cm	1 481 202 + leg	<b>61</b>
For desks W. 180 cm	1 481 203 + leg	<b>65</b>

### 7 choices of finish for tops (+ top)



### 2 choices of finish for structure (+ leg)



## ■ Asymmetrical wave desks D. 80/100 cm



### 'L' shaped legs

	Fixed leg(s)	Adjustable leg(s)
W. 140 cm - left-hand return	1 481 715 + top + leg	1 481 723 + top + leg
W. 140 cm - right-hand return	1 481 714 + top + leg	1 481 722 + top + leg
W. 160 cm - left-hand return	1 481 717 + top + leg	1 481 725 + top + leg
W. 160 cm - right-hand return	1 481 716 + top + leg	1 481 724 + top + leg

**340****340****349****349****391****391****400****400**

### 'T' shaped legs

	Fixed leg(s)	Adjustable leg(s)
W. 140 cm - left-hand return	1 481 719 + top + leg	1 481 727 + top + leg
W. 140 cm - right-hand return	1 481 718 + top + leg	1 481 726 + top + leg
W. 160 cm - left-hand return	1 481 721 + top + leg	1 481 729 + top + leg
W. 160 cm - right-hand return	1 481 720 + top + leg	1 481 728 + top + leg

**340****340****349****349****391****391****400****400**

## ■ Symmetrical wave desks D. 100 cm



### 'L' shaped legs

	Fixed leg(s)	Adjustable leg(s)
W. 160 cm	1 481 730 + top + leg	1 481 736 + top + leg
W. 180 cm	1 481 731 + top + leg	1 481 737 + top + leg

**349****357****400****408**

### 'T' shaped legs

	Fixed leg(s)	Adjustable leg(s)
W. 160 cm	1 481 732 + top + leg	1 481 738 + top + leg
W. 180 cm	1 481 733 + top + leg	1 481 739 + top + leg

**349****357****400****408**

## ■ Fixed wave returns



### 'T' shaped legs

On tubular legs Ø 60 mm	Fixed leg(s)	Adjustable leg(s)
	1 481 842 + top + leg	1 481 844 + top + leg
	1 481 880 + top + leg	1 481 881 + top + leg

**264****179****289****204**

## ■ Vertical cable management columns



### Fixed leg(s)

Internal cable housing - attaches to inside of legs	1 481 867 + leg	26
Circular-section column - attaches to worktop		

### Adjustable leg(s)

6 478 078 + leg	43
-----------------	----

**43**

## ■ Horizontal cable troughs

Secured to the crossbeam



### For worktops W. 120 cm

W. 90 cm	2 083 819 + leg	38
W. 130 cm	2 083 818 + leg	43

### For worktops W. 140 cm to 180 cm

W. 130 cm	2 083 818 + leg	43
-----------	-----------------	----

**Metal pedestals** p. 130.



**Desktop screens** p. 133.



**Metal cupboards** p. 160.



## ■ 90° asymmetrical compact desks



	Fixed leg(s)	Adjustable leg(s)
<b>'L' shaped legs</b>		
W. 160 x Rt. 60 cm - left-hand return	1 481 743 + top + leg	1 481 759 + top + leg
W. 160 x Rt. 60 cm - right-hand return	1 481 742 + top + leg	1 481 758 + top + leg
W. 180 x Rt. 60 cm - left-hand return	1 481 745 + top + leg	1 481 761 + top + leg
W. 180 x Rt. 60 cm - right-hand return	1 481 744 + top + leg	1 481 760 + top + leg
W. 180 x Rt. 80 cm - left-hand return	1 481 747 + top + leg	1 481 763 + top + leg
W. 180 x Rt. 80 cm - right-hand return	1 481 746 + top + leg	1 481 762 + top + leg
<b>'I' shaped legs</b>		
W. 160 x Rt. 60 cm - left-hand return	1 481 749 + top + leg	1 481 765 + top + leg
W. 160 x Rt. 60 cm - right-hand return	1 481 748 + top + leg	1 481 764 + top + leg
W. 180 x Rt. 60 cm - left-hand return	1 481 751 + top + leg	1 481 767 + top + leg
W. 180 x Rt. 60 cm - right-hand return	1 481 750 + top + leg	1 481 766 + top + leg
W. 180 x Rt. 80 cm - left-hand return	1 481 753 + top + leg	1 481 769 + top + leg
W. 180 x Rt. 80 cm - right-hand return	1 481 752 + top + leg	1 481 768 + top + leg

### OPTIONAL EXTRA

#### Tubular support leg

To be fitted to compact office desk return. Not compatible with supporting metal pedestal.

Tubular support leg	1 481 874 + leg	21	1 481 875 + leg	47
---------------------	-----------------	----	-----------------	----

## ■ 90° asymmetrical compact desks with supporting desk height pedestal

Adjustable height version comes with adjustment kit composed of 8 spacers to raise the pedestal height by 20 to 40 mm.



	Fixed leg(s)	Adjustable leg(s)
<b>'L' shaped legs</b>		
W. 160 x Rt. 60 cm - left-hand return	1 481 775 + top + leg	1 481 791 + top + leg
W. 160 x Rt. 60 cm - right-hand return	1 481 774 + top + leg	1 481 790 + top + leg
W. 180 x Rt. 60 cm - left-hand return	1 481 777 + top + leg	1 481 793 + top + leg
W. 180 x Rt. 60 cm - right-hand return	1 481 776 + top + leg	1 481 792 + top + leg
W. 180 x Rt. 80 cm - left-hand return	1 481 779 + top + leg	1 481 795 + top + leg
W. 180 x Rt. 80 cm - right-hand return	1 481 778 + top + leg	1 481 794 + top + leg
<b>'I' shaped legs</b>		
W. 160 x Rt. 60 cm - left-hand return	1 481 781 + top + leg	1 481 797 + top + leg
W. 160 x Rt. 60 cm - right-hand return	1 481 780 + top + leg	1 481 796 + top + leg
W. 180 x Rt. 60 cm - left-hand return	1 481 783 + top + leg	1 481 799 + top + leg
W. 180 x Rt. 60 cm - right-hand return	1 481 782 + top + leg	1 481 798 + top + leg
W. 180 x Rt. 80 cm - left-hand return	1 481 785 + top + leg	1 481 801 + top + leg
W. 180 x Rt. 80 cm - right-hand return	1 481 784 + top + leg	1 481 800 + top + leg

## ■ Curved 90° compact desks - W. 180 cm



Tubular support leg fitted to the return 60 cm

	Fixed leg(s)	Adjustable leg(s)
<b>'L' shaped legs</b>		
Left-hand return	1 481 807 + top + leg	1 481 811 + top + leg
Right-hand return	1 481 806 + top + leg	1 481 810 + top + leg
<b>'I' shaped legs</b>		
Left-hand return	1 481 809 + top + leg	1 481 813 + top + leg
Right-hand return	1 481 808 + top + leg	1 481 812 + top + leg

## ■ Standard fixed returns

For standard straight desks W. 140, 160 and 180 cm and for compact returns 60 cm.



	Fixed leg(s)	Adjustable leg(s)
<b>'I' shaped legs</b>		
W. 80 cm	1 481 832 + top + leg	1 481 838 + top + leg
W. 120 cm	1 481 833 + top + leg	1 481 839 + top + leg
<b>Tubular section legs ø 60 mm</b>		
W. 80 cm	1 481 882 + top + leg	1 481 884 + top + leg
W. 120 cm	1 481 883 + top + leg	1 481 885 + top + leg
<b>On supporting metal pedestal W. 42 cm</b>		
W. 80 cm	1 481 836 + top + leg	434
W. 120 cm	1 481 837 + top + leg	442

## ■ 90° symmetrical compact desks – asymmetrical structure



### 'L' shaped legs

W. 140 x Rt. 80 cm - left-hand return	1 481 889 + top + leg
W. 140 x Rt. 80 cm - right-hand return	1 481 814 + top + leg
W. 160 x Rt. 80 cm - left-hand return	1 481 890 + top + leg
W. 160 x Rt. 80 cm - right-hand return	1 481 815 + top + leg

### Fixed leg(s)

**561**  
**561**  
**570**  
**570**

### Adjustable leg(s)

1 481 891 + top + leg  
1 481 819 + top + leg  
1 481 892 + top + leg  
1 481 820 + top + leg

**612**  
**612**  
**621**  
**621**

### 'T' shaped legs

W. 140 x Rt. 80 cm	1 481 817 + top + leg
W. 160 x Rt. 80 cm	1 481 818 + top + leg

**561**  
**570**

1 481 822 + top + leg  
1 481 823 + top + leg

**612**  
**621**

## ■ 90° symmetrical compact desks – asymmetrical structure with supporting desk height pedestal

Adjustable height version comes with adjustment kit composed of 8 spacers to raise the pedestal height by 20 to 40 mm.



### 'L' shaped legs

W. 140 x Rt. 80 cm - left-hand return	1 481 893 + top + leg
W. 140 x Rt. 80 cm - right-hand return	1 481 824 + top + leg
W. 160 x Rt. 80 cm - left-hand return	1 481 894 + top + leg
W. 160 x Rt. 80 cm - right-hand return	1 481 825 + top + leg

### Fixed leg(s)

**952**  
**952**  
**961**  
**961**

1 481 895 + top + leg  
1 481 828 + top + leg  
1 481 896 + top + leg  
1 481 829 + top + leg

**1046**  
**1046**  
**1054**  
**1054**

### 'T' shaped legs

W. 140 x Rt. 80 cm	1 481 826 + top + leg
W. 160 x Rt. 80 cm	1 481 827 + top + leg

**952**  
**961**

1 481 830 + top + leg  
1 481 831 + top + leg

**1046**  
**1054**

## ■ 120° symmetrical compact desks – symmetrical structure



### 'L' shaped legs

W. 120 x Rt. 80 cm	1 481 816 + top + leg
--------------------	-----------------------

### Fixed leg(s)

**570**



## ■ 120° symmetrical compact desks – symmetrical structure with supporting desk height pedestal

### Fixed leg(s)

W. 120 x Rt. 80 cm	1 481 886 + top + leg
--------------------	-----------------------

**961**



## ■ Half-moon tables



### Fixed leg(s)

W. 80 x D. 40 cm	1 481 855 + top + leg
W. 165 x D. 60 cm	1 481 859 + top + leg
W. 165 x D. 82.50 cm	1 481 863 + top + leg

**136**  
**247**  
**255**

1 481 856 + top + leg  
1 481 860 + top + leg  
1 481 864 + top + leg

**162**  
**272**  
**281**

## ■ Meeting tables



### Fixed leg(s)

Circular Ø 100 cm	1 481 868 + top + leg
Ø 120 cm	1 481 869 + top + leg
Barrel W. 200 x D. 100 cm	1 481 872 + top + leg

**293**  
**302**  
**591**

### 2 choices of finish for structure (+ leg)



### 7 choices of finish for tops (+ top)



**MG**

**MA**

**MB**

**RI**

**MC**

**RH**

**RL**

**SO**

**SA**