

Twin Distal

TWIN DISTAL is a dynamic and contemporary office furniture range, fusing practicality and aesthetic design to produce highly flexible and adaptable work space configurations: from the basic individual workstation, to managerial desk solutions or the more versatile teamwork-orientated shared structure workstations.



"TWIN DISTAL is an ideal choice for teams engaging in project work, the range lends itself perfectly to efficient collaboration in a harmonious work environment."

MAGALIE JAURON Product Manager – System furniture






Storage and extension
units to complement
to the workstations





TWIN DISTAL allows shared structure configurations: a shortened base leg is incorporated as a shared support for adjoining worktops, facilitating movement between workstations and collaborative work.







Shade card

7 choices of finish for worktops



MG
Snow white



MA
White maple



MB
Light beech



RI
Light oak



MC
Salmon beech



RH
French Apple



RL
Amber walnut

3 choices of finish for legs and structure from stock



SO
White




SA
Aluminium grey




SC
Graphite grey

The Range


Rectangular and bow-fronted desks




Wave desks




Asymmetrical compact desks



Symmetrical compact desks



Extension units



Standards



Technical specifications



1 High-density fibre board worktop, 25 mm thick, with a decorative melamine sheet on both sides of the top. 2 mm thick ABS edge banding, matching the worktops.

2 Tops feature cable ports, made from injection moulded ABS (ø 80 mm).

3 Fixed « I » shaped legs composed of a pressed sheet metal top plate, uprights in folded sheet metal with removable sheet metal clip-on leg panels, curved design steel base element fitted with elliptical ABS end caps and adjustable stabilizer feet. Cables are channelled within the leg structure behind the removable panels, and exit through openings in the upper and lower extremities. Worktop height: 73.5 cm.

4 Fixed « L » shaped legs, with identical design to the « I » shaped legs. Worktop height: 73.5 cm.

5 Metal modesty panel, attaches directly to « L » shaped leg structure. Made from sheet metal 0.7 mm thick, with 2 grooves running the length of the panel for additional structural rigidity. Height 375 mm. Epoxy coating matching the « L » shaped leg finish.

6 Shared leg with shortened base designed to support 2 adjoining worktops: a cost-effective and ergonomic solution. Available in fixed « I » shaped leg and fixed « L » shaped leg versions. Identical design to the « I » and « L » shaped legs except for the shortened base element (475 mm) facilitating greater freedom of movement for users. Leg clip-on leg panels are shorter than on the standard legs, providing an opening to allow cables to be fed uninterrupted between end sections.

7 Height-adjustable « I » shaped legs composed of a pressed sheet metal top plate, centrally positioned upper pillar and lower pillar housed in a telescopic folded sheet metal panelling. Features a curved design steel base element fitted with elliptical ABS end caps and adjustable stabilizer feet. Cables are channelled within the leg structure behind the removable panels, and exit through openings in the upper and lower extremities. Worktop height: from 63.5 to 86 cm, adjustable at 2 cm intervals.

8 Height-adjustable « L » shaped legs, with identical design to the height-adjustable « I » shaped legs. Worktop height: from 63.5 to 86 cm, adjustable at 2 cm intervals.

9 C-shaped folded sheet metal crossbeam, 1 mm thick with opening on user side. Fixed element, secured with screws to « I » and « L » shaped legs. 2 circular openings (ø 60 mm each) allow cables to be fed through from the worktop to the desk structure. Facilitates concealing of numerous electrical trailing sockets and cables. Grey aluminium epoxy finish. Dimensions: height 95 mm and depth 60 mm.



■ Rectangular desks D. 60 cm

	Fixed legs		Adjustable legs	
I shaped legs - Beam				
W. 80 cm	2 304 001 + top + leg	255	2 304 008 + top + leg	306
W. 120 cm	2 304 002 + top + leg	264	2 304 009 + top + leg	315
L shaped legs - Beam				
W. 80 cm	2 304 019 + top + leg	255	2 304 026 + top + leg	306
W. 120 cm	2 304 020 + top + leg	264	2 304 027 + top + leg	315

■ Rectangular desks D. 80 cm

The add-on units are composed of a shared shortened-base leg, a crossbeam and a worktop.



	Fixed legs		Adjustable legs	
I shaped legs - Beam				
W. 80 cm	2 304 003 + top + leg	259	2 304 010 + top + leg	310
W. 120 cm	2 304 004 + top + leg	268	2 304 011 + top + leg	319
W. 140 cm	2 304 005 + top + leg	276	2 304 012 + top + leg	327
W. 160 cm	2 304 006 + top + leg	285	2 304 013 + top + leg	336
W. 180 cm	2 304 007 + top + leg	293	2 304 014 + top + leg	344
I shaped legs - Beam - Add-on units				
W. 120 cm	2 304 015 + top + leg	213		
W. 140 cm	2 304 016 + top + leg	221		
W. 160 cm	2 304 017 + top + leg	230		
W. 180 cm	2 304 018 + top + leg	238		
L shaped legs - Beam				
W. 80 cm	2 304 021 + top + leg	259	2 304 028 + top + leg	310
W. 120 cm	2 304 022 + top + leg	268	2 304 029 + top + leg	319
W. 140 cm	2 304 023 + top + leg	276	2 304 030 + top + leg	327
W. 160 cm	2 304 024 + top + leg	285	2 304 031 + top + leg	336
W. 180 cm	2 304 025 + top + leg	293	2 304 032 + top + leg	344
L shaped legs - Beam - Add-on units				
W. 120 cm	2 304 033 + top + leg	213		
W. 140 cm	2 304 034 + top + leg	221		
W. 160 cm	2 304 035 + top + leg	230		
W. 180 cm	2 304 036 + top + leg	238		
L shaped legs - Metal modesty panel				
W. 80 cm	2 304 037 + top + leg	259	2 304 042 + top + leg	310
W. 120 cm	2 304 038 + top + leg	268	2 304 043 + top + leg	319
W. 140 cm	2 304 039 + top + leg	276	2 304 044 + top + leg	327
W. 160 cm	2 304 040 + top + leg	285	2 304 045 + top + leg	336
W. 180 cm	2 304 041 + top + leg	293	2 304 046 + top + leg	344

■ 90° link unit

W. 80 x D. 80 cm	2 304 047 + top	149		
	Fixed legs		Adjustable legs	
Tubular support leg				
Tubular leg ø 60 mm	2 304 048 + leg	21	2 304 049 + leg	47
Triangular-section tubular leg - cable mgt.	2 304 050 + leg	43	2 304 051 + leg	51



■ Meeting extension unit

This desk-end meeting table rests on 1 triangular-section tubular leg with cable management; the 3/4 circular top model rests on 2 triangular-section tubular legs with cable management.



	Fixed leg(s)		Adjustable leg(s)	
Extension unit				
Circular ø 100 cm	2 304 052 + top + leg	221	2 304 053 + top + leg	238
3/4 circular ø 120 cm	2 304 054 + top + leg	264	2 304 055 + top + leg	281

7 choices of finish for tops (+ top)



3 choices of finish for legs (+ leg)



■ Bow-fronted desks



	Fixed legs		Adjustable legs	
I shaped legs - Beam	2 304 056 + top + leg	340	2 304 057 + top + leg	391
L shaped legs - Beam	2 304 058 + top + leg	340	2 304 059 + top + leg	391
L shaped legs - Metal modesty panel	2 304 060 + top + leg	340	2 304 061 + top + leg	391

■ Asymmetrical wave desks D. 80/100 cm

The add-on units are composed of a shared shortened-base leg, a crossbeam and a worktop.

	Fixed legs		Adjustable legs	
I shaped legs - Beam				
W. 140 cm - left-hand return	2 304 062 + top + leg	357	2 304 066 + top + leg	408
W. 140 cm - right-hand return	2 304 063 + top + leg	357	2 304 067 + top + leg	408
W. 160 cm - left-hand return	2 304 064 + top + leg	366	2 304 068 + top + leg	417
W. 160 cm - right-hand return	2 304 065 + top + leg	366	2 304 069 + top + leg	417
I shaped legs - Beam - Add-on units				
W. 140 cm - left-hand return	2 304 070 + top + leg	298		
W. 140 cm - right-hand return	2 304 071 + top + leg	298		
W. 160 cm - left-hand return	2 304 072 + top + leg	306		
W. 160 cm - right-hand return	2 304 073 + top + leg	306		
L shaped legs - Beam				
W. 140 cm - left-hand return	2 304 074 + top + leg	357	2 304 078 + top + leg	408
W. 140 cm - right-hand return	2 304 075 + top + leg	357	2 304 079 + top + leg	408
W. 160 cm - left-hand return	2 304 076 + top + leg	366	2 304 080 + top + leg	417
W. 160 cm - right-hand return	2 304 077 + top + leg	366	2 304 081 + top + leg	417
L shaped legs - Beam - Add-on units				
W. 140 cm - left-hand return	2 304 082 + top + leg	298		
W. 140 cm - right-hand return	2 304 083 + top + leg	298		
W. 160 cm - left-hand return	2 304 084 + top + leg	306		
W. 160 cm - right-hand return	2 304 085 + top + leg	306		
L shaped legs - Metal modesty panel				
W. 140 cm - left-hand return	2 304 086 + top + leg	357	2 304 090 + top + leg	408
W. 140 cm - right-hand return	2 304 087 + top + leg	357	2 304 091 + top + leg	408
W. 160 cm - left-hand return	2 304 088 + top + leg	366	2 304 092 + top + leg	417
W. 160 cm - right-hand return	2 304 089 + top + leg	366	2 304 093 + top + leg	417



■ Symmetrical wave desks D. 100 cm

The add-on units are composed of a shared shortened-base leg, a crossbeam and a worktop.

	Fixed legs		Adjustable legs	
I shaped legs - Beam				
W. 160 cm	2 304 094 + top + leg	366	2 304 096 + top + leg	417
W. 180 cm	2 304 095 + top + leg	374	2 304 097 + top + leg	425
I shaped legs - Beam - Add-on units				
W. 160 cm	2 304 098 + top + leg	306		
W. 180 cm	2 304 099 + top + leg	315		
L shaped legs - Beam				
W. 160 cm	2 304 100 + top + leg	366	2 304 102 + top + leg	417
W. 180 cm	2 304 101 + top + leg	374	2 304 103 + top + leg	425
L shaped legs - Beam - Add-on units				
W. 160 cm	2 304 104 + top + leg	306		
W. 180 cm	2 304 105 + top + leg	315		
L shaped legs - Metal modesty panel				
W. 160 cm	2 304 106 + top + leg	366	2 304 108 + top + leg	417
W. 180 cm	2 304 107 + top + leg	374	2 304 109 + top + leg	425



■ Fixed wave returns

	Fixed leg(s)		Adjustable leg(s)	
On Twin Distal design leg				
I shaped leg	2 304 110 + top + leg	238	2 304 113 + top + leg	264
L shaped leg - left-hand return	2 304 111 + top + leg	238	2 304 114 + top + leg	264
L shaped leg - right-hand return	2 304 112 + top + leg	238	2 304 115 + top + leg	264
Triangular-section tubular leg - cable mgt.				
	2 304 200 + top + leg	213	2 304 201 + top + leg	238



■ 90° asymmetrical compact desks



Fixed legs

I shaped legs - Beam

W. 160 x Rt 60 cm - left-hand return	2 304 116 + top + leg	349
W. 160 x Rt 60 cm - right-hand return	2 304 117 + top + leg	349
W. 180 x Rt 60 cm - left-hand return	2 304 118 + top + leg	357
W. 180 x Rt 60 cm - right-hand return	2 304 119 + top + leg	357
W. 180 x Rt 80 cm - left-hand return	2 304 120 + top + leg	366
W. 180 x Rt 80 cm - right-hand return	2 304 121 + top + leg	366

L shaped legs - Beam

W. 160 x Rt 60 cm - left-hand return	2 304 128 + top + leg	349
W. 160 x Rt 60 cm - right-hand return	2 304 129 + top + leg	349
W. 180 x Rt 60 cm - left-hand return	2 304 130 + top + leg	357
W. 180 x Rt 60 cm - right-hand return	2 304 131 + top + leg	357
W. 180 x Rt 80 cm - left-hand return	2 304 132 + top + leg	366
W. 180 x Rt 80 cm - right-hand return	2 304 133 + top + leg	366

L shaped legs - Metal modesty panel

W. 160 x Rt 60 cm - left-hand return	2 304 140 + top + leg	349
W. 160 x Rt 60 cm - right-hand return	2 304 141 + top + leg	349
W. 180 x Rt 60 cm - left-hand return	2 304 142 + top + leg	357
W. 180 x Rt 60 cm - right-hand return	2 304 143 + top + leg	357
W. 180 x Rt 80 cm - left-hand return	2 304 144 + top + leg	366
W. 180 x Rt 80 cm - right-hand return	2 304 145 + top + leg	366

Adjustable legs

2 304 122 + top + leg	400
2 304 123 + top + leg	400
2 304 124 + top + leg	408
2 304 125 + top + leg	408
2 304 126 + top + leg	417
2 304 127 + top + leg	417

2 304 134 + top + leg	400
2 304 135 + top + leg	400
2 304 136 + top + leg	408
2 304 137 + top + leg	408
2 304 138 + top + leg	417
2 304 139 + top + leg	417

2 304 146 + top + leg	400
2 304 147 + top + leg	400
2 304 148 + top + leg	408
2 304 149 + top + leg	408
2 304 150 + top + leg	417
2 304 151 + top + leg	417

OPTIONAL EXTRA

Tubular support leg

Must be fitted beneath the return section of compact desks which have no adjoining metal desk height pedestal.

Tubular section legs ø 60 mm	2 304 048 + leg	21	2 304 049 + leg	47
Triangular-section tubular leg - cable mgt.	2 304 050 + leg	43	2 304 051 + leg	51

■ Curved 90° compact desks W. 180 cm

Fitted with a triangular-section tubular leg with cable management under the return 60 cm.



Fixed legs

I shaped legs - Beam

Left-hand return	2 304 152 + top + leg	442
Right-hand return	2 304 153 + top + leg	442

L shaped legs - Beam

Left-hand return	2 304 156 + top + leg	442
Right-hand return	2 304 157 + top + leg	442

L shaped legs - Metal modesty panel

Left-hand return	2 304 160 + top + leg	442
Right-hand return	2 304 161 + top + leg	442

Adjustable legs

2 304 154 + top + leg	493
2 304 155 + top + leg	493

2 304 158 + top + leg	493
2 304 159 + top + leg	493

2 304 162 + top + leg	493
2 304 163 + top + leg	493

■ Standard fixed returns

For standard rectangular desks W. 140, 160 and 180 cm and for compact returns 60 cm.

On Twin Distal design leg

I shaped legs

W. 80 cm	2 304 164 + top + leg	213
W. 120 cm	2 304 165 + top + leg	221

L shaped legs

W. 80 cm - left-hand return	2 304 168 + top + leg	213
W. 80 cm - right-hand return	2 304 172 + top + leg	213
W. 120 cm - left-hand return	2 304 169 + top + leg	221
W. 120 cm - right-hand return	2 304 173 + top + leg	221

Technical triangular-section tubular leg

W. 80 cm	2 304 202 + top + leg	187
W. 120 cm	2 304 203 + top + leg	196

On supporting metal pedestal W. 42 cm

W. 80 cm	2 304 206 + top + leg	434
W. 120 cm	2 304 207 + top + leg	442

Adjustable leg(s)

2 304 166 + top + leg	238
2 304 167 + top + leg	247

2 304 170 + top + leg	238
2 304 174 + top + leg	238
2 304 171 + top + leg	247
2 304 175 + top + leg	247

2 304 204 + top + leg	213
2 304 205 + top + leg	221

7 choices of finish for tops (+ top)



3 choices of finish for legs (+ leg)



■ 90° symmetrical compact desks



	Fixed legs	
I shaped legs - Beam		
W. 140 x Rf 80 cm	2 304 176 + top + leg	536
W. 160 x Rf 80 cm	2 304 177 + top + leg	544
L shaped legs - Beam		
W. 140 x Rf 80 cm	2 304 178 + top + leg	536
W. 160 x Rf 80 cm	2 304 179 + top + leg	544
L shaped legs - Metal modesty panel		
W. 140 x Rf 80 cm	2 304 180 + top + leg	536
W. 160 x Rf 80 cm	2 304 181 + top + leg	544

■ 120° symmetrical compact desks



	Fixed legs	
I shaped legs - Beam		
W. 120 x Rf 80 cm	2 304 182 + top + leg	544
L shaped legs - Beam		
W. 120 x Rf 80 cm	2 304 183 + top + leg	544
L shaped legs - Metal modesty panel		
W. 120 x Rf 80 cm	2 304 184 + top + leg	544

■ Half-moon tables

Tables with W. 80 x 40 cm and W. 165 x 60 cm rest on 1 triangular-section tubular leg with cable management. The table with W. 165 x 82.5 cm rests on 2 triangular-section tubular legs with cable management.



	Fixed leg(s)		Adjustable leg(s)	
W. 80 x D. 40 cm	2 304 185 + top + leg	170	2 304 188 + top + leg	196
W. 165 x D. 60 cm	2 304 186 + top + leg	281	2 304 189 + top + leg	306
W. 165 x D. 82.50 cm	2 304 187 + top + leg	289	2 304 190 + top + leg	315

■ Optional metal modesty panels

H. 28 cm. Attaches to the worktop;



For desks W. 80 cm and 90° link unit	2 304 191 + leg	44
For desks W. 120 cm	2 304 192 + leg	53
For desks W. 140 cm	2 304 193 + leg	57
For desks W. 160 cm	2 304 194 + leg	61
For desks W. 180 cm	2 304 195 + leg	65

■ Meeting tables

Rest on 4 electrifiable triangular-section tubular legs.



	Fixed legs		Adjustable legs	
Circular ø 100 cm	2 304 196 + top + leg	315	2 304 198 + top + leg	344
Circular ø 120 cm	2 304 197 + top + leg	319	2 304 199 + top + leg	349

Metal pedestals p. 130.



Easy reach storage p. 156.



Metal cupboards p. 160.

